

Transitioned Trainees – Paediatric Emergency Requirement (PER)

| | Trainees who have logged paediatric cases during advanced training | Trainees who have completed three months of paediatric ED during advanced training | Trainees who have not started their paediatric requirement at the time of transition |
|--|---|--|---|
| Required to be completed | Requirement must be completed prior to Fellowship. The PER does not need to be completed by the end of Training Stage 3. | | |
| Number of Paediatric Cases required | Minimum of 400 cases required. Credit is given to cases already completed. | Minimum of 200 cases required. Credit is given to cases already completed outside of the three-month placement. | Minimum of 400 cases required. |
| Setting | Future cases must be completed in an accredited Paediatric ED or Mixed ED accredited for the PER. | | All cases must be completed in an accredited Paediatric ED or Mixed ED accredited for the PER. Maximum of 200 cases can be completed overseas. |
| PER-WBAs Required | <p>The number PER-WBAs required is determined by the number of cases left to complete at the time or transition:</p> <p><i>200-249 cases to complete = 5 PER WBAs required</i> <i>250-299 cases to complete = 6 PER WBAs required</i> <i>300-349 cases to complete = 7 PER WBAs required</i> <i>350-400 cases to complete = 8 PER-WBAs required</i></p> <p><i>The mix of WBA instruments for transition trainees is detailed in Table A below.</i></p> <p><i>* Trainees who have completed 201 or more paediatric logbook cases at the time of transition will not be required to complete any PER-WBAs.</i></p> | | 8 PER-WBAs required (as per Regulation G). |
| Paediatric Emergency Portfolio | Logbook part only required. DEMT Comment not required. | | Required |
| Age Requirements | No requirements, cases can be up to 15 years, 364 days. | | Minimum 200 cases aged <5. Minimum 200 cases aged >5 <15. |
| Triage requirement | Minimum 100 cases triage 1, 2, 3. | | Minimum 150 cases triage 1, 2, 3. Minimum 50 cases must be triage 1, 2 of which at least 25 must be less than five years of age. |

TABLE A: Type and number of PER-WBAs required following transition.

| No. of PLB cases left to complete | No of PER-WBAs required | PER-WBAs required | PER-WBAs that will be credited |
|-----------------------------------|-------------------------|---|---|
| 200-249 | 5 | <ul style="list-style-type: none"> • 2 PER-DOPS: <u>Procedural Sedation</u> for paediatric patient of five (5) years or less of age <u>Specimen Collection</u> Specimen collection for lab analysis, for a paediatric patient of five (5) years or less of age for any of the following: peripheral intravenous cannula insertion, suprapubic catheter aspiration, in-dwelling urinary catheter aspiration, lumbar puncture • 3 PER-Mini-CEX: Focused assessment of a paediatric patient aged less than two (2) years Focused assessment of a paediatric patient aged two (2) to twelve (12) years Paediatric patient discharge communication for common diagnosis | <ul style="list-style-type: none"> • 3 PER Cbd |
| 250-299 | 6 | <ul style="list-style-type: none"> • 2 PER-DOPS: <u>Procedural Sedation</u> for paediatric patient of five (5) years or less of age <u>Specimen Collection</u> Specimen collection for lab analysis, for a paediatric patient of five (5) years or less of age for any of the following: peripheral intravenous cannula insertion, suprapubic catheter aspiration, in-dwelling urinary catheter aspiration, lumbar puncture • 3 PER-Mini-CEX: Focused assessment of a paediatric patient aged less than two (2) years | <ul style="list-style-type: none"> • 2 PER Cbd |



| | | | |
|---------|---|--|---|
| | | <p>Focused assessment of a paediatric patient aged two (2) to twelve (12) years</p> <ul style="list-style-type: none"> • Paediatric patient discharge communication for common diagnosis • 1 PER Cbd: One must Less than two (2) years of age | |
| 300-349 | 7 | <ul style="list-style-type: none"> • 2 PER-DOPS: <u>Procedural Sedation</u> for paediatric patient of five (5) years or less of age • <u>Specimen Collection</u> Specimen collection for lab analysis, for a paediatric patient of five (5) years or less of age for any of the following: peripheral intravenous cannula insertion, suprapubic catheter aspiration, in-dwelling urinary catheter aspiration, lumbar puncture • 3 PER-Mini-CEX: Focused assessment of a paediatric patient aged less than two (2) years • Focused assessment of a paediatric patient aged two (2) to twelve (12) years • Paediatric patient discharge communication for common diagnosis. • 2 PER Cbd: One must Less than two (2) years of age • Two (2) to twelve (12) years of age (High complexity) | <ul style="list-style-type: none"> • 1 PER Cbd |



| | | | |
|---------|---|---|---|
| 350-400 | 8 | <ul style="list-style-type: none"> • 2 PER-DOPS: <u>Procedural Sedation</u> for paediatric patient of five (5) years or less of age <u>Specimen Collection</u> Specimen collection for lab analysis, for a paediatric patient of five (5) years or less of age for any of the following: peripheral intravenous cannula insertion, suprapubic catheter aspiration, in-dwelling urinary catheter aspiration, lumbar puncture • 3 PER-Mini-CEX: Focused assessment of a paediatric patient aged less than two (2) years Focused assessment of a paediatric patient aged two (2) to twelve (12) years Paediatric patient discharge communication for common diagnosis. • 3 PER Cbd: One must Less than two (2) years of age Two (2) to twelve (12) years of age 1 X Medium complexity 1 X High complexity Required to do all the above eight PER-WBAs. Further details can be found in the 2022 FACEM Training Program Handbook. | <ul style="list-style-type: none"> • Nil |
|---------|---|---|---|